

EYG home improvement
glazing solutions
...come on home



OPEN UP YOUR LIVING SPACE

A new generation of aluminium bi-fold doors.

Slimmer frames. More glass. A brighter connection between home and garden.

EVERYDAY LIVING, OPENED UP

MADE FOR THE WAY YOU LIVE

Closed, the slim aluminium frames keep the view clean and uninterrupted. Open, the panels fold neatly away to bring your home and garden together.

01

MORE NATURAL LIGHT

Slim sightlines help maximise the glazed area, filling the room with light.

02

SMOOTH OPERATION

Engineered rollers help even larger panels glide open with a reassuring feel.

03

MADE TO FIT YOUR HOME

Choose from a wide range of panel layouts, opening directions and finishes.





A CLEANER VIEW

**LESS FRAME.
MORE VIEW.**

87 mm

SLIM INTERLOCK

The interlock is the central meeting point between two folding panels. At just 87mm on the Slim system, it reduces visual bulk and leaves more room for glass.

The result is a lighter, more refined look from both inside and outside your home.

PERFORMANCE YOU CAN FEEL

COMFORT WHEN CLOSED. FREEDOM WHEN OPEN.

Designed for everyday British weather, with thermal performance, tested security and smooth operation built into the system.

1.3 W/m²K

DOUBLE GLAZING

A lower U-value means less heat passes through the complete door.

PAS 24

TESTED SECURITY

Multi-point locking and tested security options provide added reassurance.

5A

WATER TIGHTNESS

Tested resistance against wind-driven rain with a standard threshold.

SMOOTH

EFFORTLESS OPERATION

High-capacity rollers help larger panels glide open with a reassuring feel.

Illustrative headline figures. Final performance depends on door size, glazing and configuration.


EYG home improvement glazing solutions ...come on home




CONFIGURED AROUND YOUR SPACE

YOUR OPENING. YOUR WAY


Choose how the panels fold and stack, whether they open in or out, and where you want the everyday traffic door.




STACKS LEFT



STACKS RIGHT



STACKS LEFT



STACKS RIGHT

T = everyday traffic door

FINISH IT YOUR WAY

Single-colour, dual-colour, textured and anodised finish options are available. Ask for the current EYG collection.

THOUGHTFUL BY DESIGN

THE DETAILS MAKE THE DIFFERENCE

It is the small details that make a bi-fold door feel right every day, from the way it glides to the way you step through it.



SMOOTH, CONFIDENT MOVEMENT



SLIM, DISCREET HARDWARE

01

A LOWER STEP

A 30.7mm aluminium low-threshold option can create an easier transition when fitted into the finished floor level.

02

EVERYDAY ACCESS

Add a traffic door so you can step in and out without folding the entire set of doors open.

03

A CLEANER OPEN VIEW

The half-roller design removes the need for a floating mullion, helping the opening look cleaner when fully folded.

04

FINISHING TOUCHES

Choose handles and frame finishes to complement the rest of your home. Ask your designer about current options.

TECHNICAL SPECIFICATION

F80 aluminium bi-fold door system. Headline figures below are based on the supplied system literature and should be checked against the final surveyed configuration.

PERFORMANCE / DIMENSION	F80 SLIM	F80 STANDARD
System depth	80mm	80mm
Interlock sightline	87mm	110mm
Head / jamb sightline	80mm / 80mm	92mm / 92mm
Cill sightline	91mm	92mm
U-value, double glazed (Ug 1.0)	1.3 W/m2K	1.3 W/m2K
U-value, triple glazed (Ug 0.7)	1.0 W/m2K	1.0 W/m2K
Air permeability, standard threshold	Class 4 (300 Pa)	Class 4 (600 Pa)
Water tightness, standard threshold	Class 5A (200 Pa)	Class 5A (200 Pa)
Wind resistance	Class C3 (1200 Pa)	Class C3 (1200 Pa)
Security	PAS 24	PAS 24
Primary leaf cycle testing	50,000	50,000
Maximum leaf height	2400mm standard / 3000mm*	2400mm standard / 3000mm*
Maximum leaf width	1200mm	1200mm
Maximum leaf weight	130kg	130kg
Glazing thickness	24-46mm	24-46mm
Opening direction	Open-in or open-out	Open-in or open-out

* Taller doors and certain performance levels are subject to configuration, wind loading, hardware and span-chart limits. Low-threshold and finish options are available. Final specification is confirmed following survey.



EYG home improvement
glazing solutions
...come on home

Ready to open up your home?

FROM FIRST IDEA TO FINAL INSTALLATION

Our team will help you choose the right configuration, finish and glazing for your home, then take care of the installation from start to finish.



50+ YEARS
of home improvement experience



MADE TO MEASURE
for your home and opening



10 YEAR WARRANTY
for added peace of mind



EXPERT INSTALLATION
by an established local team

GET YOUR FREE QUOTE

Call: 0800 181 888

Visit: www.eygwindows.co.uk

SCAN
ME

